

belkin.

Be Ready For Today™

Connect Thunderbolt™ 5 Dock

Expand your laptop into a fully functional workstation with a dock that supports data transfer speeds up to 80Gbps, triple displays up to 4K@144Hz,* and up to 140W Power Delivery⁺ to your host device. Designed for creative professionals and everyday users, it provides 14 ports to expand your laptop's capabilities for video, data, charging and Ethernet.



Save time with ultra-fast data transfer speeds up to 80Gbps with 120Gbps Bandwidth Boost



Expand your laptop's capabilities up to 14 ports for video, data, charge and Ethernet



Work in crystal-clear definition with triple extended displays up to 4K@144Hz* and 8K@60Hz

140W

Deliver up to 140W Power Delivery⁺ to your host device and other devices simultaneously



Rely on 2.5Gb Ethernet port for hardwired network connection




Daisy-chain up to six Thunderbolt devices with tidier setup

Technical Specs

- Front ports:
- 3.5mm audio combo port
 - SD 4.0
 - microSD 4.0
 - 1x USB-A 3.2 (4.5W, 10Gbps)
 - 1x USB-C 3.2 (7.5W, 10Gbps)
 - 1x USB-C 3.2 (30W, 10Gbps)
 - 1x Thunderbolt™ 5 (15W)
 - Power button
- Back ports:
- PSU 180W
 - 1x Thunderbolt™ 5 (140W PD to host)
 - 1x Thunderbolt™ 5 (15W)
 - 1x DisplayPort 2.1 (4K@60Hz)
 - 1x HDMI 2.1 (4K@60Hz)
 - 2x USB-A 3.0 (4.5W, 5Gbps)
 - 2.5Gb Ethernet

- Kensington lock
- VESA mount
- Triple 4K@144Hz, Triple 8K@60Hz, Dual 8K@60z
- Belkin Dock Utility Software Compatible



Compatibility

Compatible with USB-C enabled devices such as laptops, tablets, smartphones and Thunderbolt™ 5 and Thunderbolt™ 4 ports. Supports Windows, Mac and Chrome OS.

Physical Characteristics

- Product Dimensions
- 8.74 in./222mm (L) x 3.35 in./85.09mm (W) x 0.79 in./20.06mm (H)
 - Weight: 0.86 lb/390.1g
 - Included Thunderbolt™ 5 cable length: 3.3 ft./1m
 - PSU cable length: 3.3 ft./1m

- Packaging Dimensions
- 5.31 in./134.94mm (L) x 2.75 in./69.85mm (W) x 9.69 in./246.06mm (H)

Warranty

Protected by a 3-year Belkin warranty

The Belkin Difference

Trusted by 1 billion+*
Pioneer in innovation and technology for over 40 years
Extensive testing procedures guarantee quality and durability

Package Includes

- Connect Thunderbolt™ 5 Dock
- 180W PSU and 3.3 ft./1m power cord,
- 3.3 ft./1m Thunderbolt™ 5 cable

Part numbers by region

AMER	INC0311tSGY, INC031bkSGY
EMEA	INC031kqSGY
APEA	INC031qcSGY

*Triple displays require a compatible Windows PC. macOS supports up to two extended displays. See display chart below for more details.
*Thunderbolt™ 5 delivers 80 gigabits per second (Gbps) of bidirectional bandwidth, and with Bandwidth Boost mode, up to 120Gbps in one direction and 40Gbps in the other. These speeds are possible to achieve because it includes four lanes for data transfer (two for each direction at 40Gbps, adding up to 80Gbps).
This dock is not compatible with Thunderbolt™ 3 laptops or monitors, including those with Windows or Intel-based MacBook, and does not support ChromeOS or Linux system.
*Belkin has sold over 1 billion products globally since 2000.
© 2026 Belkin International, Inc. All rights reserved. All trade names are registered trademarks of respective manufacturers listed.
USB4 and USB-C are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. PR1670950



Display Resolution Chart

Thunderbolt 5								
OS	Windows				Mac			
Stream	A	B	C		A	B	C	
Video Port	Thunderbolt 5 #1	Thunderbolt 5 #2	DisplayPort	HDMI	Thunderbolt 5 #1	Thunderbolt 5 #2	DisplayPort	HDMI
Single Port Connected	8K@60Hz or 4K@240Hz	8K@60Hz or 4K@240Hz	8K@60Hz or 4K@240Hz	8K@60Hz or 4K@240Hz	6K@60Hz or 4K@240Hz	6K@60Hz or 4K@240Hz	6K@60Hz or 4K@240Hz	4K@60Hz
Dual Port Connected	8K@60Hz	4K@60Hz			4K@240Hz	4K@144Hz		
		8K@60Hz	4K@60Hz			4K@240Hz	4K@144Hz	
	4K@60Hz			8K@60Hz	4K@240Hz			4K@60Hz
Triple Port Connected	4K@144Hz	4K@144Hz	4K@144Hz		4K@144Hz	4K@144Hz	4K@144Hz	
	4K@144Hz	4K@144Hz		4K@144Hz	4K@144Hz	4K@144Hz		4K@60Hz

Notes: Actual output varies based on host device specifications. Chart shows all extended display configurations. HDMI takes priority when both ports are connected.

- Windows:
- 1) Thunderbolt 5 laptops can achieve the maximum resolution.
 - 2) Thunderbolt 4/USB4® laptops: only two video streams max. First plugged in, first served.

- macOS:
- 1) M1/M2/M3 supports one external display.
 - 2) M1 Pro/Max, M2 Pro/Max, M3 Pro/Max, M4 Pro/Max, M4, and M5 supports up to dual extended displays.
 - 3) Only two video streams max. First plugged in, first served.
 - 4) M5 Pro/Max can support triple extended displays.